

```

<table border="0" width="550"><tr><td rowspan="1"> </td><td rowspan="1"> </td><td scope=""
style="width: 0px;" dir="" id="" align="" valign="" lang=""> </td><td align="right"> <br /></td></tr><tr><td
rowspan="1"> </td><td rowspan="1"> </td><td> </td><td> </td></tr><tr><td scope=""
style="width: 130px;" dir="" id="" colspan="1" align="left" valign="top" lang=""></td><td scope="" style=""
dir="" id="" colspan="1" align="left" valign="top" lang=""><table bordercolorlight="#99b7d1"
bordercolordark="#ffffff" bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0"
width="140"><tr><td>Section</td> <td>~b<br />mm</td> <td>~h<br />mm</td>
</tr> <tr> <td>5V / 15J</td> <td>15</td>
<td>16</td></tr></table></td><td scope="" style="" dir="" id="" rowspan="1" colspan="2"
align="left" valign="top" lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff"
align="center" bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0"
width="220"><tr><td>Section</td> <td>Range of Lw lengths</td> </tr> <tr>
<td>2-15J</td> <td>1400-9300</td> </tr> <tr> <td>3-15J</td>
<td>1400-9300</td> </tr> <tr> <td>4-15J</td> <td>1400-9300</td>
</tr> <tr> <td>5-15J</td> <td>1400-9300</td> </tr> <tr>
<td>6-15J</td> <td>1400-9300</td></tr></table></td></tr><tr><td colspan="1"> </td><td
colspan="1"> Orders as per length La.</td><td colspan="1"> </td><td
colspan="1"> </td></tr><tr><td rowspan="1" colspan="4"> The listed lengths are only
recommended. Any length is available in the mentioned range.</td></tr><tr><td
colspan="1"> </td><td colspan="1"> </td><td colspan="1"> </td><td
colspan="1"> </td></tr><tr><td colspan="1" align="center"> </td><td colspan="1"
align="center"> </td><td colspan="1" align="center"> </td><td colspan="1"
align="center"> </td></tr><tr><td scope="" style="" dir="" id="" colspan="1" align="center"
valign="top" lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff" align="center"
bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="110"><tr><td colspan="2"
class="HEAD">5V/15J</td> </tr> <tr align="center"> <td class="HEAD"
width="55"> </td> <td class="HEAD" width="55">La<br />mm</td> </tr>
<tr> <td>5V 550 </td> <td>1400 </td> </tr>
<tr> <td>5V 560 </td> <td>1422 </td>
</tr> <tr> <td>5V 570 </td> <td>1450
</tr> <tr> <td>5V 590 </td>
<td>1500 </td> </tr> <tr> <td>5V 600 </td>
<td>1524 </td> </tr> <tr> <td>5V 610 </td>
<td>1550 </td> </tr> <tr> <td>5V 630 </td>
<td>1600 </td> </tr> <tr> <td>5V 650 </td>
<td>1650 </td> </tr> <tr> <td>5V 670 </td>
<td>1702 </td> </tr> <tr> <td>5V 690 </td>
<td>1750 </td> </tr> <tr> <td>5V 710 </td>
<td>1803 </td> </tr> <tr> <td>5V 730 </td>
<td>1850 </td> </tr> <tr> <td>5V 750 </td>
<td>1905 </td> </tr> <tr> <td>5V 770 </td>
<td>1950 </td> </tr>

```

```

        <tr>
            <td>5V 790 </td>
            <td>2000 </td>
        </tr>
        <tr>
            <td>5V 800 </td>
            <td>2032 </td>
        </tr>
        <tr>
            <td>5V 810 </td>
            <td>2060 </td>
        </tr>
        <tr>
            <td>5V 835 </td>
            <td>2120 </td>
        </tr>
        <tr>
            <td>5V 850 </td>
            <td>2159 </td>
        </tr>
        <tr>
            <td>5V 860 </td>
            <td>2180 </td>
        </tr>
        <tr>
            <td>5V 880 </td>
            <td>2240 </td>
        </tr>
        <tr>
            <td>5V 900 </td>
            <td>2286 </td>
        </tr>
    </td></tr></table></td><td scope="" style="" dir="" id="" colspan="1" align="center" valign="top"
    lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff" align="center"
    bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="110"><tr><td colspan="2"
    class="HEAD">5V/15J</td> </tr> <tr align="center"> <td class="HEAD"
    width="55"> </td> <td class="HEAD" width="55">La<br />mm</td> </tr>
    <tr>
        <td>5V 905</td>
        <td>2300</td>
    </tr>
    <tr>
        <td>5V 930</td>
        <td>2360</td>
    </tr>
    <tr>
        <td>5V 950</td>
        <td>2413</td>
    </tr>
    <tr>
        <td>5V 995</td>
        <td>2430</td>
    </tr>
    <tr>
        <td>5V 895</td>
        <td>2500</td>
    </tr>
    <tr>
        <td>5V 1000</td>
        <td>2540</td>
    </tr>
    <tr>
        <td>5V 1015</td>
        <td>2580</td>
    </tr>
    <tr>
        <td>5V 1045</td>
        <td>2650</td>
    </tr>
    <tr>
        <td>5V 1060</td>
        <td>2692</td>
    </tr>
    <tr>
        <td>5V 1070</td>
        <td>2720</td>
    </tr>
    <tr>
        <td>5V 1100</td>
        <td>2800</td>
    </tr>
    <tr>
        <td>5V 1120</td>
        <td>2845</td>
    </tr>
    <tr>
        <td>5V 1140</td>
        <td>2900</td>
    </tr>
    <tr>
        <td>5V 1180</td>
        <td>2997</td>
    </tr>
    <tr>
        <td>5V 1210</td>
        <td>3070</td>
    </tr>
    <tr>
        <td>5V 1240</td>
        <td>3150</td>
    </tr>
    <tr>
        <td>5V 1250</td>
        <td>3175</td>
    </tr>
    <tr>
        <td>5V 1280</td>
        <td>3250</td>
    </tr>
    <tr>
        <td>5V 1320</td>
        <td>3353</td>
    </tr>
    <tr>
        <td>5V 1360</td>
        <td>3450</td>
    </tr>
    <tr>
        <td>5V 1400</td>
        <td>3556</td>
    </tr>
    <tr>
        <td>5V 1435</td>
        <td>3650</td>
    </tr>
    </td></tr></table></td><td scope="" style="" dir="" id="" colspan="1" align="center"
    valign="top" lang=""><table bordercolorlight="#99b7d1" bordercolordark="#ffffff" align="center"
    bgcolor="#ffffff" border="1" cellpadding="2" cellspacing="0" width="110"><tr><td colspan="2"
    class="HEAD">5V/15J</td> </tr> <tr align="center"> <td class="HEAD"
    width="55"> </td> <td class="HEAD" width="55">La<br />mm</td> </tr>
    <tr>
        <td>5V 1475 </td>
        <td>3750 </td>
    </tr>
    <tr>
        <td>5V 1500 </td>
        <td>3810 </td>
    </tr>
    
```

		5V 1525	
3870			5V 1575
	4000		
5V 1600		4064	
	5V 1620	4120	
		5V 1675	4250
		5V 1700	4318
			5V 1720
4370			5V 1770
	4500		
5V 1800		4572	
	5V 1820	4620	
		5V 1870	4750
		5V 1900	4826
			5V 1915
4870			5V 1970
	5000		
5V 2000		5080	
	5V 2030	5150	
		5V 2085	5300
		5V 2120	5385
			5V 2145
5450			5V 2205
	5600		
5V/15J			
La			
		5V 2285	5800
		5V 2240	5690
		5V 2360	
5994			5V 2420
	6150		
5V 2480		6300	
	5V 2500	6350	
		5V 2560	6500
		5V 2640	6700
			5V 2650
6731			5V 2715
	6900		
5V 2795		7100	
	5V 2875	7300	
		5V 2900	7366
		5V 2955	7500
			5V 3000
7620			5V 3050

```

        <td>7750 </td>                </tr>                <tr>
<td>5V 3150 </td>                <td>8001 </td>                </tr>                <tr>
        <td>5V 3350 </td>                <td>8509 </td>                </tr>
        <tr>                <td>5V 3550 </td>                <td>9017 </td>
</tr>                <tr>                <td>5V 3660 </td>                <td>9300 </td>
        </tr>                <tr>                <td> </td>                <td> </td>
        </tr>                <tr>                <td> </td>                <td> </td>
<td> </td></tr></table> </td></tr><tr><td colspan="1" align="center">Lw = La <br /></td><td
colspan="1" align="center"> Li = La - 71</td><td colspan="1" align="center"> </td><td
colspan="1" align="center"> </td></tr><tr><td colspan="1" align="center"> </td><td colspan="1"
align="center"> </td><td colspan="1" align="center"> </td><td colspan="1"
align="center"> </td></tr><tr align="center"><td rowspan="1" colspan="4"> Belts are resistant
to temperatures from -30 ◊C to +60 ◊C at relative humidity 65+/-15%.</td></tr><tr><td
rowspan="1" colspan="4"><hr size="2" width="100%"></td></tr><tr><td rowspan="1"
colspan="4" align="center">Example of marking: <b>3-15J 2800 La</b><br /><br />3-15J -
number of ribs and marking of section<br />La - outside length <br /></td></tr><tr><td
colspan="1"> </td><td colspan="1" align="center"> 1 <a
href="index.php?option=com_content&view=article&id=41&Itemid=36"
mce_href="index.php?option=com_content&view=article&id=41&Itemid=36">2</a> </td><td
colspan="1"> </td><td colspan="1"> </td></tr></table>

```